WS4: Benchmarking, education and research programmes on pain management in the EU

DEVELOPING PAIN EDUCATION FOR NURSES BY NURSES Transforming Nursing through knowledge



Societal Impact of Pain 2012 Copenhagen

Manuela Monleón, RN, MS

Marta Pisano, RN, MS



Disclosure Statement of Financial Interest



We, Manuela Monleón and Marta **Pisano**, DO NOT have a financial interest/arrangement or affiliation with one or more organizations that could be perceived as a real or apparent conflict of interest in the context of the subject of this presentation.

Times of crisis



May affect the performance of different Health Systems

Safe care





- High death rate due to errors
- 70% of them could have been prevented
- Types of errors
 - diagnostic
 - treatment
 - prevention
 - others

Linda T. Kohn, Janet M. Corrigan, and Molla S. To err is human. Donaldson, Editors; Committee on Quality of Health Care in America, Institute of Medicine, 2000

Leape, Lucian; Lawthers, Ann G.; Brennan, Troyen A., et al. Pr eventing Medical Injury. Qual Rev Bull. 19(5):144–149, 1993

Health System

SIP Srigtal Impact of Pair

- "Primum non nocere"
- It's everyone's responsibility to minimize errors: professional, system and patient
- Spain > safety studies: ENEAS (2006) y APEAS (2008)
 Training teamwork and communication between professionals.
 - 47,8% medication error: adverse drug reactions (ADRs), wrong dose, lack of adherence to treatment, dose omission...
 - 6,5% care/procedure



Estudio APEAS: estudio sobre la seguridad de los pacientes en Atención Primaria de Salud. Madrid: Ministerio de Sanidad y Consumo, 2008. Estudio Nacional sobre los Efectos Adversos ligados a la Hospitalización. ENEAS 2005. Madrid: Ministerio de Sanidad y Consumo, 2006



Caring for the person with pain

- 83% are followed in the Primary Health Care
- Nurse must be proactive in pain management:
 - It is the right of people to receive care for pain
- 86,2% of citizens are satisfied with the Spanish Health System and its professionals





Barómetro de Salud 2010. Información y Estadísticas Sanitarias. Ministerio de Sanidad, Servicios Sociales e Igualdad. 2011 http://www.msc.es/estadEstudios/estadisticas/docs/BS_2010_Presentacion.pdf

People with Pain




- 80% patients are dissatisfied with the treatment of pain
 - > 10% had to reduce its activity in the last 2 weeks
 - >29, 3% had used any drugs to reduce pain in the last 2 weeks91.8% among the group of people over 75 years
- Nurse is the professional who is longer with the patient and family: prevention , self-care, care pain, etc. for active patient
- Nurses play an important role in the care of the person with pain



Education for nurses



- The level of training differs between nursing practices and get better health outcomes
- Nursing care is holistic and includes human needs: physical, psychoemotional, social and spiritual
- Strategies to increase training and skills of nurses based on scientific knowledge and evidence



Nurse intervention



- Throughout process and implementation of pain protocols with nurse prescription will improve and streamline care.
- Care plans that include the proper selection of analgesics, pain monitoring, anticipation and detection of adverse events
- Education to patient and family
- Understandable and clear information

Pain Education for nurses by nurses on-line 1st block 4. Pharmacologic 1.Nursing 2.Concept and 3.Assessment nonpharmacologic and Pain and types

treatment

Pain Education for nurses by nurses on-line





5.Care of acute pain



7. Care of chronic cancer pain



6. Care of chronic noncancer pain



8.Pain in special situations: Children, Olders and End of Life



"Policies that encourage more training of nursing, looking not only for the good professional, but also for the social interest and improved quality of life of people" Sharon Bernier NR.